
List of figures

Figure 1	
M2006 telephone	5
Figure 2	
M2008/M2008HF telephone	6
Figure 3	
M2616 and M2016S telephones	7
Figure 4	
M2216ACD-1 and -2 telephones	8
Figure 5	
M2216ACD-1 and -2 left side showing headset jacks	9
Figure 6	
M2616 with Display module and Key Expansion module	20
Figure 7	
Configuration of local plug-in transformer	27
Figure 8	
Closet Power Supply configuration	29
Figure 9	
M3000 Touchphone	34
Figure 10	
M3000 Touchphone basic screen layout	36
Figure 11	
M3000 idle state screen	40
Figure 12	
M3000 dial tone screen	40

Figure 13	
M3000 volume state screen	41
Figure 14	
M3000 contrast state screen	42
Figure 15	
Directory Archiver	47
Figure 16	
M2317 telephone	54
Figure 17	
M2317 telephone—key identification	57
Figure 18	
M2317 screen display—available idle state features	58
Figure 19	
M2317 screen display—dial tone state	59
Figure 20	
M2317 screen display—dialing state	59
Figure 21	
M2317 screen display—ringback state	60
Figure 22	
M2317 screen display—available established state features	60
Figure 23	
M2317 telephone cross-connections	69
Figure 24	
M2009 telephone	72
Figure 25	
M2018 and M2018S secure telephone	73
Figure 26	
M2112 telephone	74
Figure 27	
Volume control key	75
Figure 28	
QSU3 telephone	84

Figure 29	
QSU7 telephone for ACD operation	85
Figure 30	
QSU71 telephone	86
Figure 31	
QSU3 with Handsfree unit and QMT1 add-on module	93
Figure 32	
Block diagram of ADO and M2000 telephone	103
Figure 33	
Back of telephone showing MPDA	107
Figure 34	
Block diagram of MPDA and Modular telephone	107
Figure 35	
Back of telephone showing MCA	112
Figure 36	
Block diagram of MCA and Modular telephone	112

